

Development of innovative training solutions in the field of functional evaluation aimed at updating of the curricula of health sciences schools





This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0. It is allowed to download this work and share it with others, but you must give credit, and you can't change it in any way or use it commercially.

Module Biomechanics of Gait Didactic Unit C: How Do I Assess Gait C.1: What methods may I apply to assess Self-Questionnaire











Development of innovative training solutions in the field of functional evaluation aimed at updating of the curricula of health sciences schools



Question 1

Which of the following characteristics does not correspond to qualitative methods of assessment?

- □ A They can be supported by video recording.
- □ B They require great technical preparation and are not within the reach of all clinical practices.
- □ C They require observation and interpretation by the evaluator.
- \Box D All of them.

Question 2

Which of the following evaluation methods correspond to a quantitive assessment?

- □ A Get up and go test.
- **B** Velocity measured with a chronometer .
- C Parkinson Diseases Questionnaire 39.
- D None of them.

Question 3

What framework is used in the observational gait analysis?

- □ A This method focuses on a period of the gait cycle.
- □ B The joints can be observed in specific phases of walking.
- \square C The functional task can be observed in each period of the gait cycle.
- \Box D All of them.













Development of innovative training solutions in the field of functional evaluation aimed at updating of the curricula of health sciences schools



Question 4

What kind of results do joint forces and moments belong to?

- □ A Kinematic outcomes.
- □ B Plantar pressure.
- □ C Kinetic outcomes.
- D Electromyographic outcomes.

Question 5

Which of the following instruments is not used to capture spatiotemporal outcomes?

- □ A Optoelectronic cameras.
- □ B Electronic goniometers.
- \Box C Chronometer.
- D Footswitches.















Development of innovative training solutions in the field of functional evaluation aimed at updating of the curricula of health sciences schools









INSTITUTO DE BIOMECÁNICA DE VALENCIA







The European Commission's support for the production of this publication does not constitute an endorsement of the contents, which reflect the views only of the authors, and the Commission cannot be held responsible for any use which may be made of the information contained therein.